
aqtinstall Documentation

Release 1.0.0b2

Hiroshi Miura

Feb 13, 2021

Contents

1	Installation	3
1.1	Requirements	3
1.2	Install by pip command	3
2	Usage	5
2.1	Installing tool and utility (Experimental)	6
2.2	Target directory	6
3	Command Line Options	7
3.1	Command examples	8
4	Available Qt versions	11
4.1	Desktop	11
4.2	Mobile platforms	15
5	Internals	17
5.1	Installer module	17
5.2	Archives module	17
5.3	Updater module	17
5.4	Helper module	17
6	aqtinstall changeLog	19
6.1	Current changes	19
7	Contribution guide	23
7.1	Resources	23
7.2	Bug triage	23
7.3	Send patch	23
7.4	CI tests	24
8	Authors	25
9	Indices and tables	27
	Index	29

Contents:

1.1 Requirements

- Minimum Python version: 3.6
- Recommended Python version: 3.7.5 or later
- Dependent libraries: requests, py7zr

1.2 Install by pip command

Same as usual, it can be installed with *pip*

```
$ pip install aqtinstall
```


General usage looks like this:

```
aqt [-h] [--help] [-O | --outputdir <directory>] [-b | --base <mirror url>] [-E | --
external <7zip command>] \
    install <qt-version> <host> <target> [<arch>] [-m all | -m [extra module] [extra_
module]...] [--internal]
    [--archives <archive>[ <archive>...]] [--timeout <timeout(sec)>]
```

You can also call with `python -m aqt` syntax as well as command script `aqt`.

- The Qt version is formatted like this: *5.11.3*
- Host is one of: *linux, mac, windows*
- Target is one of: *desktop, android, ios* (iOS only works with mac host)
- **For some platforms you also need to specify an arch:**
 - **For windows, choose one of:**
 - * *win64_msvc2019_64, win32_msvc2019,*
 - * *win64_msvc2017_64, win32_msvc2017,*
 - * *win64_msvc2015_64, win32_msvc2015,*
 - * *win64_mingw81, win32_mingw81,*
 - * *win64_mingw73, win32_mingw73,*
 - * *win64_mingw53, win32_mingw53,*
 - * *win64_msvc2019_winrt_x64, win64_msvc2019_winrt_x86, win64_msvc2019_winrt_armv7*
 - * *win64_msvc2017_winrt_x64, win64_msvc2017_winrt_x86, win64_msvc2017_winrt_armv7*
 - For android and Qt 5.13 or below, choose one of: *android_x86_64, android_arm64_v8a, android_x86, android_armv7*
- You can specify external 7zip command path instead of built-in extractor.

- When specifying *all* for extra modules option *-m* all extra modules are installed.

2.1 Installing tool and utility (Experimental)

You can install tools and utilities using following syntax;

```
python -m aqt [-h] [--help] [-O | --outputdir <directory>] [-b | --base <mirror url>] [-E,
→ | --external <7zip command>] \
    tool <host> <tool_name> <tool-version> <arch> [--timeout <timeout>]
```

- *tool_name* is one of *tools_ifw*, *tools_vcredis*, and *tools_openssl*.
- *arch* is full qualified tool name such as *qt.tools.ifw.31* which values can be seen on Qt [archive_site](#) This is a quite experimental feature, may not work and please use it with your understanding of what you are doing.
- It does not recognize ‘installscript.qs’. When using tools which depends on a qt script, you should do something by yourself.

2.2 Target directory

aqt can take option ‘*--outputdir*’ or ‘*-O*’ that specify a target directory.

The Qt packages are installed under current directory as such *Qt/<ver>/gcc_64/* If you want to install it in *C:Qt* as same as standard gui installer default, run such as follows:

```
C:\> mkdir Qt
C:\> aqt install --outputdir c:\Qt 5.11.3 windows desktop win64_msvc2019_64
```

Command Line Options

The CLI uses argparse to parse the command line options so the short or long versions may be used and the long options may be truncated to the shortest unambiguous abbreviation.

help

show generic help

list <Qt version> <target OS>

list available variations. positional arguments: qt_version Qt version in the format of “5.X.Y”
{linux,mac,windows} host os name {desktop,winrt,android,ios} target sdk

install <Qt version> <target OS> <target variant> <target architecture>

install Qt library specified version and target. There are various combinations to accept according to Qt version.

Qt version

This is a Qt version such as 5.9,7, 5.12.1 etc

target OS

linux, windows or mac

target variant

desktop, ios or android

target architecture

- gcc_64 for linux desktop
- clang_64 for mac desktop
- win64_msvc2019_64, win64_msvc2017_64, win64_msvc2015_64, win32_msvc2015, win32_mingw53 for windows desktop
- android_armv7, android_arm64_v8a, android_x86, android_x86_64 for android

--version, -v

Display version

--help, -h

Display help text

--outputdir, -O <Output Directory>
specify output directory.

--base, -b <base url>
specify mirror site base url such as -b '<https://mirrors.ocf.berkeley.edu/qt/>' where 'online' folder exist.

--modules, -m <list of modules>
specify extra modules to install as a list.

--archives <list of archives>
[Advanced] Specify subset of archives to **limit** installed archives. This is advanced option and not recommended to use for general usage. Main purpose is speed up CI/CD process by limiting installed modules. It can cause broken installation of Qt SDK.

--noarchives
[Advanced] Specify not to install all base packages. This is advanced option and you should use with **-modules** option. This allow you to add modules to existent Qt installation.

src <Qt version> <target OS> <target variant>
install Qt sources specified version and target.

doc <Qt version> <target OS> <target variant>
install Qt documents specified version and target.

examples <Qt version> <target OS> <target variant>
install Qt examples specified version and target.

tool <target OS> <target tool name> <target tool version> <tool variant name>
install tools specified. tool name may be 'tools_openssl_x64', 'tools_ninja', 'tools_ifw', 'tools_cmake' and tool variants name may be 'qt.tools.openssl.gcc_64', 'qt.tools.ninja', 'qt.tools.ifw.32', 'qt.tools.cmake'. You may need to looking for version number at <https://download.qt.io/online/qtsdkrepository/>

3.1 Command examples

Example: Installing Qt SDK 5.12.0 for Linux with QtCharts and QtNetworkAuth:

```
pip install aqtinstall
sudo aqt install --outputdir /opt 5.12.0 linux desktop -m qtcharts qtnetworkauth
```

Example: Installing Android (armv7) Qt 5.10.2:

```
aqt install 5.10.2 linux android android_armv7
```

Example: Install examples, doc and source:

```
C:\> aqt examples 5.15.0 windows desktop -m qtcharts qtnetworkauth
C:\> aqt doc 5.15.0 windows desktop -m qtcharts qtnetworkauth
C:\> aqt src 5.15.0 windows desktop
```

Example: Install Web Assembly

```
aqt install 5.15.0 linux desktop wasm_32
```

Example: Install an Install Framework (IFW):

```
aqt tool linux tools_ifw 4.0 qt.tools.ifw.40
```

Example: Install vcredis:

```
C:\> aqt tool windows tools_vcrist 2019-02-13-1 qt.tools.vcrist_msvc2019_x64
C:\> .\Qt\Tools\vcrist\vcrist_msvc2019_x64.exe /norestart /q
```

Example: Install MinGW on Windows

```
C:\> aqt tool -O c:\Qt windows tools_mingw 8.1.0-1-202004170606 qt.tools.win64_
↪mingw810w
c:\> set PATH=C:\Qt\Tools\mingw810_64\bin
```

Example: Show help message

```
aqt help
```


Available Qt versions

Here is an available combinations of Qt versions and platforms. It is based on contents at <https://download.qt.io/> as in January, 2021.

WARNING: Older versions may be removed and new version will be added, because The Qt Foundation maintains the site and aqtinstall just see there. So there is no guarantee for you to be able to install versions listed here.

4.1 Desktop

Qt SDK for Desktop applications are provided for linux, mac and windows.

4.1.1 Linux

Variant	Qt Versions
gcc_64	<ul style="list-style-type: none"> • 6.0.1, 6.0.0, 5.13.0 • 5.15.2, 5.15.1, 5.15.0 • 5.14.2, 5.14.1, 5.14.0 • 5.13.2, 5.13.1 • 5.12.9, 5.12.8, 5.12.7, 5.12.6, 5.12.5, 5.12.4, 5.12.3, 5.12.2, 5.12.1, 5.12.0 • 5.11.3, 5.11.2, 5.11.1, 5.11.0 • 5.10.1, 5.10.0 • 5.9.9, 5.9.8, 5.9.7, 5.9.6, 5.9.5
wasm_32	<ul style="list-style-type: none"> • 5.15.2, 5.15.1, 5.15.0 • 5.14.2, 5.14.1, 5.14.0 • 5.13.2, 5.13.1

4.1.2 mac

Variant	Qt Versions
clang_64	<ul style="list-style-type: none">• 6.0.1, 6.0.0, 5.13.0• 5.15.2, 5.15.1, 5.15.0• 5.14.2, 5.14.1, 5.14.0• 5.13.2, 5.13.1• 5.12.9, 5.12.8, 5.12.7, 5.12.6, 5.12.5, 5.12.4, 5.12.3, 5.12.2, 5.12.1, 5.12.0• 5.11.3, 5.11.2, 5.11.1, 5.11.0• 5.10.1, 5.10.0• 5.9.9, 5.9.8, 5.9.7, 5.9.6, 5.9.5
wasm_32	<ul style="list-style-type: none">• 5.15.2, 5.15.1, 5.15.0• 5.14.2, 5.14.1, 5.14.0• 5.13.2, 5.13.1

4.1.3 windows

Variant	Qt Versions
win64_msvc2019_64	<ul style="list-style-type: none">• 6.0.1, 6.0.0• 5.15.2, 5.15.1, 5.15.0
win32_msvc2019	<ul style="list-style-type: none">• 5.15.2 5.15.1 5.15.0
win64_msvc2017_64	<ul style="list-style-type: none">• 5.14.2, 5.14.1, 5.14.0• 5.13.2, 5.13.1, 5.13.0• 5.12.9, 5.12.8, 5.12.7, 5.12.6, 5.12.5, 5.12.4, 5.12.3, 5.12.2, 5.12.1, 5.12.0• 5.11.3, 5.11.2, 5.11.1, 5.11.0• 5.10.1, 5.10.0• 5.9.9, 5.9.8, 5.9.7, 5.9.6, 5.9.5
win32_msvc2017	<ul style="list-style-type: none">• 5.14.2, 5.14.1, 5.14.0• 5.13.2, 5.13.1, 5.13.0
win64_msvc2015_64	<ul style="list-style-type: none">• 5.15.2 5.15.1 5.15.0• 5.14.2 5.14.1 5.14.0• 5.13.2 5.13.1, 5.13.0• 5.12.9, 5.12.8, 5.12.7, 5.12.6, 5.12.5, 5.12.4, 5.12.3, 5.12.2, 5.12.1, 5.12.0• 5.11.3, 5.11.2, 5.11.1, 5.11.0• 5.10.1, 5.10.0• 5.9.9, 5.9.8, 5.9.7, 5.9.6, 5.9.5
win32_msvc2015	<ul style="list-style-type: none">• 5.11.3, 5.11.2, 5.11.1, 5.11.0• 5.10.1, 5.10.0• 5.9.9, 5.9.8, 5.9.7, 5.9.6, 5.9.5
<ul style="list-style-type: none">• win64_mingw81• win32_mingw81	<ul style="list-style-type: none">• 6.0.1, 6.0.0• 5.15.2, 5.15.1, 5.15.0
<ul style="list-style-type: none">• win64_mingw73• win32_mingw73	<ul style="list-style-type: none">• 5.14.2, 5.14.1, 5.14.0• 5.13.2 5.13.1, 5.13.0• 5.12.9, 5.12.8, 5.12.7, 5.12.6, 5.12.5, 5.12.4, 5.12.3, 5.12.2, 5.12.1, 5.12.0
win32_mingw53	<ul style="list-style-type: none">• 5.11.3, 5.11.2, 5.11.1, 5.11.0• 5.10.1, 5.10.0• 5.9.9, 5.9.8, 5.9.7, 5.9.6, 5.9.5
wasm_32	<ul style="list-style-type: none">• 5.15.2 5.15.1 5.15.0• 5.14.2 5.14.1 5.14.0• 5.13.2 5.13.1

4.2 Mobile platforms

4.2.1 android

android SDK is provided for linux, mac and windows.

Variant	Qt Versions
<ul style="list-style-type: none"> • android_arm64_v8a • android_x86_64 	<ul style="list-style-type: none"> • 6.0.1, 6.0.0
<ul style="list-style-type: none"> • android_armv7 • android_x86 	<ul style="list-style-type: none"> • 6.0.1, 6.0.0 • 5.13.2 5.13.1 5.13.0 • 5.12.9 5.12.8 5.12.7 5.12.6 5.12.5 5.12.4 5.12.3 5.12.2 5.12.1 5.12.0 • 5.11.3 5.11.2 5.11.1 5.11.0 • 5.10.1 5.10.0 • 5.9.9 5.9.8 5.9.7 5.9.6 5.9.5
<ul style="list-style-type: none"> • android 	<ul style="list-style-type: none"> • 5.15.2 5.15.1 5.15.0 • 5.14.2 5.14.1 5.14.0

4.2.2 ios

Qt SDK for ios is provided on mac.

Variant	Qt Versions
ios	<ul style="list-style-type: none"> • 6.0.1, 6.0.0 • 5.15.2, 5.15.1, 5.15.0 • 5.14.2, 5.14.1, 5.14.0 • 5.13.2, 5.13.1, 5.13.0 • 5.12.9, 5.12.8, 5.12.7, 5.12.6, 5.12.5 5.12.4, 5.12.3, 5.12.2, 5.12.1, 5.12.0 • 5.11.3, 5.11.2, 5.11.1, 5.11.0 • 5.10.1, 5.10.0 • 5.9.9, 5.9.8, 5.9.7, 5.9.6, 5.9.5

4.2.3 winrt

winrt SDK is provided for windows platform.

Variant	Qt Versions
win64_msvc2019_winrt_x64	<ul style="list-style-type: none">• 5.15.2 5.15.1 5.15.0• 5.14.2 5.14.1 5.14.0• 5.13.2 5.13.1 5.13.0• 5.12.9 5.12.8 5.12.7 5.12.6 5.12.5 5.12.4 5.12.3 5.12.2 5.12.1 5.12.0
win64_msvc2019_winrt_armv7	<ul style="list-style-type: none">• 5.15.2 5.15.1 5.15.0• 5.14.2 5.14.1 5.14.0• 5.13.2 5.13.1 5.13.0• 5.12.9 5.12.8 5.12.7 5.12.6 5.12.5 5.12.4 5.12.3 5.12.2 5.12.1 5.12.0
win64_msvc2019_winrt_x86	5.15.2 5.15.1 5.15.0 5.14.2 5.14.1 5.14.0 5.13.2 5.13.1 5.13.0 5.12.9 5.12.8 5.12.7 5.12.6 5.12.5 5.12.4 5.12.3 5.12.2 5.12.1 5.12.0
win64_msvc2017_winrt_armv7	5.14.2 5.14.1 5.14.0 5.13.2 5.13.1 5.13.0 5.12.9 5.12.8 5.12.7 5.12.6 5.12.5 5.12.4 5.12.3 5.12.2 5.12.1 5.12.0
win64_msvc2017_winrt_x64	5.14.2 5.14.1 5.14.0 5.13.2 5.13.1 5.13.0 5.12.9 5.12.8 5.12.7 5.12.6 5.12.5 5.12.4 5.12.3 5.12.2 5.12.1 5.12.0
win64_msvc2017_winrt_x86	5.14.2 5.14.1 5.14.0 5.13.2 5.13.1 5.13.0 5.12.9 5.12.8 5.12.7 5.12.6 5.12.5 5.12.4 5.12.3 5.12.2 5.12.1 5.12.0
win64_msvc2015_winrt_armv7	5.15.2 5.15.1 5.15.0 5.14.2 5.14.1 5.14.0 5.13.2 5.13.1 5.13.0 5.12.9 5.12.8 5.12.7 5.12.6 5.12.5 5.12.4 5.12.3 5.12.2 5.12.1 5.12.0 5.11.2 5.11.1 5.11.0 5.10.1 5.10.0 5.9.9 5.9.8 5.9.7 5.9.6 5.9.5
win64_msvc2015_winrt_x64	5.14.2 5.14.1 5.14.0 5.13.2 5.13.1 5.13.0 5.12.9 5.12.8 5.12.7 5.12.6 5.12.5 5.12.4 5.12.3 5.12.2 5.12.1 5.12.0
win64_msvc2015_winrt_x86	5.11.2 5.11.1 5.11.0 5.10.1 5.10.0 5.9.9 5.9.8 5.9.7 5.9.6 5.9.5

5.1 Installer module

5.2 Archives module

5.3 Updater module

5.4 Helper module

All notable changes to this project will be documented in this file.

6.1 Current changes

6.1.1 Unreleased

Added

Changed

Fixed

Deprecated

Removed

Security

6.1.2 v1.1.1 (13, Feb. 2021)

Fixed

- Catch timeout error and fallback to mirror (#215,#217)

6.1.3 v1.1.0 (12, Feb. 2021)

Added

- Patching android installation for Qt6 - patch target_qt.conf

Changed

- CI test with Qt6
- Docs: update available combinations

Fixed

- Skip QtCore patching for 5.14.0 and later(Fix regression)(#211)

6.1.4 v1.0.0 (4, Feb. 2021)

Added

- Add `--noarchives` option to allow user to add modules to existed installation(#174,#204)
- No patching when it does not install qtbase package by `--noarchives` and `--archives` option.(#204)
- Azure: test with jom build on windows.
- Patch pkgconfig configurations(#199)
- Patch libQt5Core and libQt6Core for linux(#201)

Changed

- Update document to show available Qt versions
- Update README to add more references.
- Suppress debug log and exist silently when specified package not found.

Fixed

- Catch exception on qmake -query execution(#201)
- Fix Qt6/Android installation handling.(#193, #200)

6.1.5 v0.11.1 (21, Jan. 2021)

Added

- Add `--timeout` option to specify connection timeout (default 5.0 sec) (#197)

6.1.6 v0.11.0 (21, Jan. 2021)

Added

- Automatically fallback to mirror site when main <https://download.qt.io> down.(#194, #196)

6.1.7 v0.10.1 (11, Dec. 2020)

Added

- Add LTS versions as known one.(#188)

Changed

- Tool: Version comparison by startswith. When specified 4.0 but download server hold 4.0.1, it catch 4.0.1.(related #187)
- README: explicitly show python version requirements.

6.1.8 v0.10.0 (25, Nov. 2020)

Added

- Add v5.12.2, v6.0.0 as known versions.(#176, #177)
- Support `--archives` option on src installation.

Changed

- Use multiprocessing.Pool instead of concurrent.futures(#178)
- Refactoring whole modules. (#179)
- Split old changelogs to CHNAGELOG_prerelease.rst
- Drop an upper limitation (<0.11) for py7zr.(#183)

Fixed

- When we used “-m all” to download doc or examples, Qt sources are also downloaded(@Gams0)(#182)

6.1.9 v0.9.8 (4, Nov. 2020)

Added

- Added new combinations for tools_ifw

Fixed

- When we start an installation, all packages are downloaded whatever the specified platform.(#159)

This is contribution guide for aqtnstall project. You are welcome to send a Pull-Request, reporting bugs and ask questions.

7.1 Resources

- Project owner: Hiroshi Miura
- Bug Tracker: Github issue [Tracker](#)
- Status: Beta
- Activity: moderate

7.2 Bug triage

Every report to github issue tracker should be in triage. whether it is bug, question or invalid.

7.3 Send patch

Here is small amount rule when you want to send patch the project;

1. every proposal for modification should send as 'Pull Request'
1. each pull request can consist of multiple commits.
1. you are encourage to split modifications to individual commits that are logical subpart.

7.4 CI tests

The project configured to use Azure Pipelines, Github actions and Coveralls for regression test. You can see test results on badge and see details in a web page linked from badge.

CHAPTER 8

Authors

Aqtinstall is written and maintained by Hiroshi Miura <miurahr@linux.com>

Original qli-installer is written by Linus Jahn

Utilize for Github Actions recipe and many feedback by Benjamin O

Contributors, listed alphabetically, are:

- Andrei Yankovich (tools ifw installation)
- Aurélien Gâteau (patching to qmake, #100)
- Gamso (improve parsing of update.xml)
- Kyle Altendorf (7z binary path search)
- Martin Delille (Document)
- Mizux Seihax (Qt versions)
- Nelson Chen (CI tests)
- pylipp (Document)
- Felix Barz (Android, Explicit extra module installation)
- Sztergbaum Roman
- Thomas Grainger (CLI entry point)
- Vadim Peretokin (Version database)
- ypnos (Document)

and many other participants and contributors.

CHAPTER 9

Indices and tables

- `genindex`
- `modindex`
- `search`

Symbols

-archives <list of archives>
 aqt command line option,8
-base, -b <base url>
 aqt command line option,8
-help, -h
 aqt command line option,7
-modules, -m <list of modules>
 aqt command line option,8
-noarchives
 aqt command line option,8
-outputdir, -O <Output Directory>
 aqt command line option,7
-version, -v
 aqt command line option,7

A

aqt command line option
 -archives <list of archives>,8
 -base, -b <base url>,8
 -help, -h,7
 -modules, -m <list of modules>,8
 -noarchives,8
 -outputdir, -O <Output Directory>,7
 -version, -v,7
doc <Qt version> <target OS>
 <target variant>,8
examples <Qt version> <target OS>
 <target variant>,8
help,7
install <Qt version> <target
 OS> <target variant> <target
 architecture>,7
list <Qt version> <target OS>,7
src <Qt version> <target OS>
 <target variant>,8
tool <target OS> <target tool
 name> <target tool version>
 <tool variant name>,8

D

doc <Qt version> <target OS> <target
 variant>
 aqt command line option,8

E

examples <Qt version> <target OS>
 <target variant>
 aqt command line option,8

H

help
 aqt command line option,7

I

install <Qt version> <target OS>
 <target variant> <target
 architecture>
 aqt command line option,7

L

list <Qt version> <target OS>
 aqt command line option,7

S

src <Qt version> <target OS> <target
 variant>
 aqt command line option,8

T

tool <target OS> <target tool name>
 <target tool version> <tool
 variant name>
 aqt command line option,8